White Acrylic Globe with Machined Top Cover

GL12, GL14, GL16, GL18

PROJECT:

NOTE:

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- · Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

- ½" or ¾" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Top cover and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options


LISTING

UL listed to US and Canadian standards for wet locations













GLOBE ORDER MATRIX (EXAMPLE: GL14LED1827TBZ-2)

Diameter Lamp / LED		Lamp / LED		Top Cover Finish C			ıg	Mounting Type				
GL12 GL14 GL16 GL18	(12") (14") (16") (18")	M LED1227 ^{1,2} LED1230 ^{1,2} LED1235 ^{1,2} LED1240 ^{1,2} LED1827 ^{1,2} LED1830 ^{1,2} LED1835 ^{1,2} LED1840 ^{1,2}	(Medium Base, 100W max.) (12W LED, 2700K, 90 CRI, 844lm) (12W LED, 3000K, 90 CRI, 861lm) (12W LED, 3500K, 90 CRI, 872lm) (12W LED, 4000K, 90 CRI, 889lm) (18W LED, 2700K, 90 CRI, 1265lm) (18W LED, 3000K, 90 CRI, 1288lm) (18W LED, 3500K, 90 CRI, 1311lm) (18W LED, 4000K, 90 CRI, 1334lm)	ABL BB BK BLU DVG FLG GA LG MB MBL PNA PNC RD SGR SGW SSND SS TBZ TGP TNG TTL WT YEL	Aegean Blue) (Burnished Bronze) (Gloss Black) (Blue) (Dove Gray) (Flannel Gray) (Galvanized) (Lime Green) (Matte Black) (Midnight Blue) (Painted Natural Aluminum) (Painted Natural Copper) (Red) (Sage Green) (Semi Gloss White) (Sand) (Satin Silver) (Textured Bronze) (Textured Graphite) (Tangerine) (Talnitian Teal) (Gloss White) (Yellow)	(blank) -C	(No Coating) (Coating)	-2 -3 -B -W -F	(½" IP) (¾" IP) (Black Cord Pendant) (White Cord Pendant) (Flush Mount)			

- 1. Lamps must be specified, and are not included in shade cost
- 2. Lumen are raw LED value

STANDARD FINISHES

ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)		WT	(Gloss White)
BB	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPE	CIALT	Y FINISHES
DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)



White Acrylic Globe with Machined Top Cover

GL12, GL14, GL16, GL18

SPEC-00030 UPDATED 02/16/2021 PROJECT:

NOTE:

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23TBZ)

Pipe Size	Arm Type	re Arm Type Finish	Coastal Coating	Input Voltage
2 (½" IP) 3 (¾" IP)		SL30 Small Loop- 30") BB (Burnished L123 (Large Loop - 23") BLU (Blue) LC18 (Curve Arm - 18") DVG (Dove Gray LC34 (Curve Arm - 24") LG30 (Curve Arm - 30") LG30 (Curve Arm - 30") LG4 (Miter Arm - 18") LG5 (Miter Arm - 18") LG6 (Lime Gree LM30 (Miter Arm - 30") MBL (Midnight LM30 (Miter Arm - 23") LSA23 (Large Loop Sign Arm - 23") LSA30 (Large Loop Sign Arm - 30") SGR (Sage Gree SGW (Semi Glosphar LA24 (Straight Arm - 12") SND (Sand) SS (Satin Silve A24 (Straight Arm - 24") A30 (Straight Arm - 24") TNG (Taptrierd Eather) TNG (T	d Bronze) ck) y) ray) d) en) ck) Blue) stural Aluminum) atural Copper) en) ss White) er) Bronze) Graphite) e) eal)	(blank) (120V) -27 (277V)

STANDARD FINISHES

SPECIALTY FINISHES GA (Galvanized)



Note: All arm mounts include canopy

120V CANOPY

⊣ 2"⊢







12"

143/8"

7 25⁰


LSA30






291/2"

SL30




LARGE LOOP ARM

CURVE ARM



MITER ARM







18"

8"


8"



STRAIGHT ARM



MODERN ARM



GL12, GL14, GL16, GL18

PROJECT:

White Acrylic Globe with Machined Top Cover

SPEC-00030 UPDATED 02/16/2021


NOTE:

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTBZ)

Pipe Size	Knuckle	Finish	Coastal Coating				
2 (½" IP) 3 (¾" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahjerine)	(blank) (No Coating) -C (Coating)				
		WT (Gloss White) YEL (Yellow)					

KNUCKLE ACCESSORY

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



STANDARD FINISHES

ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)	\bigcirc	WT	(Gloss White)
BB	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPE	IALT	Y FINISHES
DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)



White Acrylic Globe with Machined Top Cover

GL12, GL14, GL16, GL18

SPEC-00030 UPDATED 02/16/2021

PROJECT:

NOTE:


POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1TBZ)

Pipe Size	Mount Type	Finish	Input Voltage				
2 (½" IP)	P1 (Single Post Mount) P2 (Double Post Mount) W1 (Traditional Wall Mount)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (120V) -27³ (277V)				

3. Post mount only

SINGLE POST MOUNT P1 P2 23" 23" 23" 23" 29½"


TRADITIONAL WALL MOUNT



POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TBZ)

Post Type		Finish	
PM4946 P8683-96 P8683-120 P8684-96 P8684-120 PM8685	(Cast Aluminum Post) (Cast Aluminum Base w/ 96" Aluminum Post) (Cast Aluminum Base w/ 120" Aluminum Post) (96" Straight Aluminum Post) (120" Straight Aluminum Post) (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8638)	ABL BB BK BLU DVG FLG GA LG MB PNA PNC RD SGR SGW SND SS TBZ TGP TNL WT YEL	(Aegean Blue) (Burnished Bronze) (Gloss Black) (Blue) (Dove Gray) (Flannel Gray) (Galvanized) (Lime Green) (Matte Black) (Midnight Blue) (Painted Natural Aluminum) (Painted Natural Copper) (Red) (Sage Green) (Semi Gloss White) (Sand) (Satin Silver) (Textured Bronze) (Tangerine) (Tangerine) (Talitian Teal) (Gloss White) (Yellow)

STA	STANDARD FINISHES											
	ABL	(Aegean Blue)		MBL	(Midnight Blue)		TBZ	(Textured Bronze)				
	BB	(Burnished Bronze)		PNA	(Painted Natural Aluminum)		TGP	(Textured Graphite)				
	BK	(Gloss Black)		PNC	(Painted Natural Copper)		TNG	(Tangerine)				
	BLU	(Blue)		RD	(Red)		TTL	(Tahitian Teal)				
	DVG	(Dove Gray)		SGR	(Sage Green)		WT	(Gloss White)				
	FLG	(Flannel Gray)	\bigcirc	SGW	(Semi Gloss White)		YEL	(Yellow)				
	LG	(Lime Green)		SND	(Sand)	SPE	CIAL	TY FINISHES				
	MB	(Matte Black)		SS	(Satin Silver)		GA	(Galvanized)				





White Acrylic Globe with Machined Top Cover

GL12, GL14, GL16, GL18

SPEC-00030 UPDATED 02/16/2021

PROJECT:

NOTE:

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS36TBZ)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12") HS18 (18") HS24 (24") HS36 (36") HS48 (48") HS (Custom length from 2" up to 60")	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (No Coating) -C (Coating)

Stem mounts can be used for sloped ceiling up to 30°






Note: All stems include 23/8" canopy and ball swivels


PENDANT CANOPY



CEILING FLUSH MOUNT CANOPY



Note: Ceiling flush mount canopy includes 2" stem $\,$



STANDARD FINISHES

SIAI	NDARI	D FINISHES									
	ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)	\bigcirc	WT	(Gloss White)
	BB	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
	BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
	BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPE	CIALT	Y FINISHES
	DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)