

STANDARD

Aluminum Shade with Glass and Guard Options

RS16

SPEC-00040

UPDATED 02/16/2021

PROJECT: _____

NOTE: _____

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard or Wire Cage options available

LISTING

UL listed to US and Canadian standards for wet locations



RS16MTBZ-B



RS16MBK-2 / 2SL23BK

STANDARD ORDER MATRIX (EXAMPLE: RS16MBK-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RS16 (16")	M (Medium Base, 100W max.) LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm) LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm) LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm) LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm) LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm) LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm) LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm) LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	ABL Aegean Blue	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
		BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
		BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord endant)
		BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord endant)
		DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
		FLG (Flannel Gray)			
		GA (Galvanized)		-CGWC (Clear Glass w/ Wire Cage)	
		LG (Lime Green)		-FGWC (Frosted Glass w/ Wire Cage)	
		MB (Matte Black)		-WG (Wire Guard)	
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
SS (Satin Silver)					
TBZ (Textured Bronze)					
TGP (Textured Graphite)					
TNG (Tangerine)					
TTL (Tahitian Teal)					
WT (Gloss White)					
YEL (Yellow)					

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

STANDARD FINISHES

ABL (Aegean Blue)	FLG (Flannel Gray)	PNC (Painted Natural Copper)	SS (Satin Silver)	WT (Gloss White)
BB (Burnished Bronze)	LG (Lime Green)	RD (Red)	TBZ (Textured Bronze)	YEL (Yellow)
BK (Gloss Black)	MB (Matte Black)	SGR (Sage Green)	TGP (Textured Graphite)	
BLU (Blue)	MBL (Midnight Blue)	SGW (Semi Gloss White)	TNG (Tangerine)	SPECIALTY FINISHES
DVG (Dove Gray)	PNA (Painted Natural Aluminum)	SND (Sand)	TTL (Tahitian Teal)	GA (Galvanized)



STANDARD

Aluminum Shade with Glass and Guard Options

RS16

SPEC-00040

UPDATED 02/16/2021

PROJECT: _____

NOTE: _____

GLASS AND GUARD OPTIONS


Optional

GLASS ENCLOSURE

- Glass is available in clear (-CG) or frosted (-FG)

-CG (Clear Glass Enclosure)

-FG (Frosted Glass Enclosure)




CAST GUARD WITH GLASS ENCLOSURE

- Cast guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, cast guard is unfinished Raw Aluminum)
- Glass is available in clear (-CGG) or frosted (-FGG)

-CGG (Clear Glass w/ Cast Guard)

-FGG (Frosted Glass w/ Cast Guard)




WIRE CAGE WITH GLASS ENCLOSURE

- Wire cage can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire cage is finished in Painted Natural Aluminum)
- Glass is available in clear (-CGWC) or frosted (-FGWC)
- See fixture pages for availability

-CGWC (Clear Glass w/ Wire Cage)


-FGWC (Frosted Glass w/ Wire Cage)



WIRE GUARD

- Wire guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire guard is finished in Painted Natural Aluminum)
- See fixture pages for availability

-WG (Wire Guard)



8" / 10" / 12" / 14" /
16" / 18" / 20"

STANDARD

Aluminum Shade with Glass and Guard Options

RS16

SPEC-00040

UPDATED 02/16/2021

PROJECT: _____

NOTE: _____

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23PNA)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	ABL Aegean Blue	(blank) (No coating)	(blank) (120V)
	SL30 (Small Loop - 30")	BB (Burnished Bronze)	-C (Coating)	-27 (277V)
3 (¾" IP)	LL23 (Large Loop - 23")	BK (Gloss Black)		
	LL30 (Large Loop - 30")	BLU (Blue)		
	LC18 (Curve Arm - 18")	DVG (Dove Gray)		
	LC24 (Curve Arm - 24")	FLG (Flannel Gray)		
	LC30 (Curve Arm - 30")	GA (Galvanized)		
	LM18 (Miter Arm - 18")	LG (Lime Green)		
	LM24 (Miter Arm - 24")	MB (Matte Black)		
	LM30 (Miter Arm - 30")	MBL (Midnight Blue)		
	SA18 (Sign Arm - 18")	PNA (Painted Natural Aluminum)		
	SA23 (Sign Arm - 23")	PNC (Painted Natural Copper)		
	LSA23 (Large Loop Sign Arm - 23")	RD (Red)		
	LSA30 (Large Loop Sign Arm - 30")	SGR (Sage Green)		
	A6 (Straight Arm - 6")	SGW (Semi Gloss White)		
	A12 (Straight Arm - 12")	SND (Sand)		
	A18 (Straight Arm - 18")	SS (Satin Silver)		
	A24 (Straight Arm - 24")	TBZ (Textured Bronze)		
	A30 (Straight Arm - 30")	TGP (Textured Graphite)		
	MA18 (Modern Arm - 18")	TNG (Tangerine)		
	MA24 (Modern Arm - 24")	TTL (Tahitian Teal)		
	MA30 (Modern Arm - 30")	WT (Gloss White)		
		YEL (Yellow)		


STANDARD FINISHES

- **ABL** (Aegean Blue)
- **RD** (Red)
- **BB** (Burnished Bronze)
- **SGR** (Sage Green)
- **BK** (Gloss Black)
- SGW** (Semi Gloss White)
- **BLU** (Blue)
- **SND** (Sand)
- **DVG** (Dove Gray)
- **SS** (Satin Silver)
- **FLG** (Flannel Gray)
- **TBZ** (Textured Bronze)
- **LG** (Lime Green)
- **TGP** (Textured Graphite)
- **MB** (Matte Black)
- **TNG** (Tangerine)
- **MBL** (Midnight Blue)
- **TTL** (Tahitian Teal)
- **PNA** (Painted Natural Aluminum)
- WT** (Gloss White)
- **PNC** (Painted Natural Copper)
- **YEL** (Yellow)

SPECIALTY FINISHES

- **GA** (Galvanized)

Note: All arm mounts include canopy



STANDARD

Aluminum Shade with Glass and Guard Options

RS16

SPEC-00040

UPDATED 02/16/2021

PROJECT: _____


NOTE: _____

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLPNA)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	ABL (Aegean Blue)	(blank) (No Coating)
3 (¾" IP)		BB (Burnished Bronze)	-C (Coating)
		BK (Gloss Black)	
		BLU (Blue)	
		DVG (Dove Gray)	
		FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
		SGR (Sage Green)	
		SGW (Semi Gloss White)	
		SND (Sand)	
		SS (Satin Silver)	
		TBZ (Textured Bronze)	
		TGP (Textured Graphite)	
		TNG (Tangerine)	
		TTL (Tahitian Teal)	
		WT (Gloss White)	
		YEL (Yellow)	

KNUCKLE ACCESSORY

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



STANDARD FINISHES

ABL (Aegean Blue)	FLG (Flannel Gray)	PNC (Painted Natural Copper)	SS (Satin Silver)	WT (Gloss White)
BB (Burnished Bronze)	LG (Lime Green)	RD (Red)	TBZ (Textured Bronze)	YEL (Yellow)
BK (Gloss Black)	MB (Matte Black)	SGR (Sage Green)	TGP (Textured Graphite)	
BLU (Blue)	MBL (Midnight Blue)	SGW (Semi Gloss White)	TNG (Tangerine)	SPECIALTY FINISHES
DVG (Dove Gray)	PNA (Painted Natural Aluminum)	SND (Sand)	TTL (Tahitian Teal)	GA (Galvanized)

STANDARD

Aluminum Shade with Glass and Guard Options

RS16

SPEC-00040

UPDATED 02/16/2021

PROJECT: _____


NOTE: _____

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1PNA)


Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	ABL (Aegean Blue)	(blank) (120V)
		BB (Burnished Bronze)	-27* (277V)
	P2 (Double Post Mount)	BK (Gloss Black)	
		BLU (Blue)	
	W1 (Traditional Wall Mount)	DVG (Dove Gray)	
		FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
SGR (Sage Green)			
SGW (Semi Gloss White)			
SND (Sand)			
SS (Satin Silver)			
TBZ (Textured Bronze)			
TGP (Textured Graphite)			
TNG (Tangerine)			
TTL (Tahitian Teal)			
WT (Gloss White)			
YEL (Yellow)			

4. Post mount only


SINGLE POST MOUNT



DOUBLE POST MOUNT




TRADITIONAL WALL MOUNT



POST TYPE ORDER MATRIX (EXAMPLE: P8683-96PNA)

Post Type	Finish
PM4946 (Cast Aluminum Post)	ABL (Aegean Blue)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	BB (Burnished Bronze)
	BK (Gloss Black)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	BLU (Blue)
	DVG (Dove Gray)
P8684-96 (96" Straight Aluminum Post)	FLG (Flannel Gray)
P8684-120 (120" Straight Aluminum Post)	GA (Galvanized)
	LG (Lime Green)
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8638)	MB (Matte Black)
	MBL (Midnight Blue)
	PNA (Painted Natural Aluminum)
	PNC (Painted Natural Copper)
	RD (Red)
	SGR (Sage Green)
	SGW (Semi Gloss White)
	SND (Sand)
	SS (Satin Silver)
	TBZ (Textured Bronze)
	TGP (Textured Graphite)
	TNG (Tangerine)
	TTL (Tahitian Teal)
WT (Gloss White)	
YEL (Yellow)	



STANDARD FINISHES

- | | | |
|--|---|---|
| ● ABL (Aegean Blue) | ● MBL (Midnight Blue) | ● TBZ (Textured Bronze) |
| ● BB (Burnished Bronze) | ● PNA (Painted Natural Aluminum) | ● TGP (Textured Graphite) |
| ● BK (Gloss Black) | ● PNC (Painted Natural Copper) | ● TNG (Tangerine) |
| ● BLU (Blue) | ● RD (Red) | ● TTL (Tahitian Teal) |
| ● DVG (Dove Gray) | ● SGR (Sage Green) | ○ WT (Gloss White) |
| ● FLG (Flannel Gray) | ○ SGW (Semi Gloss White) | ● YEL (Yellow) |
| ● LG (Lime Green) | ● SND (Sand) | |
| ● MB (Matte Black) | ● SS (Satin Silver) | |

SPECIALTY FINISHES

- GA (Galvanized)



STANDARD

Aluminum Shade with Glass and Guard Options


RS16
SPEC-00040 UPDATED 02/16/2021

PROJECT: _____
NOTE: _____

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18PNA)


Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	ABL (Aegean Blue)	(blank) (No Coating)
	HS18 (18")	BB (Burnished Bronze)	-C (Coating)
	HS24 (24")	BK (Gloss Black)	
	HS36 (36")	BLU (Blue)	
	HS48 (48")	DVG (Dove Gray)	
	HS__ (Custom length from 2" up to 60")	FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
		SGR (Sage Green)	
		SGW (Semi Gloss White)	
		SND (Sand)	
	SS (Satin Silver)		
	TBZ (Textured Bronze)		
	TGP (Textured Graphite)		
	TNG (Tangerine)		
	TTL (Tahitian Teal)		
	WT (Gloss White)		
	YEL (Yellow)		

Stem mounts can be used for sloped ceiling up to 30°




Note: All stems include 2 3/8" canopy and ball swivels


PENDANT CANOPY



CEILING FLUSH MOUNT CANOPY



Note: Ceiling flush mount canopy includes 2" stem



STANDARD FINISHES

- | | | | | |
|-----------------------|--------------------------------|------------------------------|-------------------------|------------------|
| ABL (Aegean Blue) | FLG (Flannel Gray) | PNC (Painted Natural Copper) | SS (Satin Silver) | WT (Gloss White) |
| BB (Burnished Bronze) | LG (Lime Green) | RD (Red) | TBZ (Textured Bronze) | YEL (Yellow) |
| BK (Gloss Black) | MB (Matte Black) | SGR (Sage Green) | TGP (Textured Graphite) | |
| BLU (Blue) | MBL (Midnight Blue) | SGW (Semi Gloss White) | TNG (Tangerine) | |
| DVG (Dove Gray) | PNA (Painted Natural Aluminum) | SND (Sand) | TTL (Tahitian Teal) | |

SPECIALTY FINISHES

- GA (Galvanized)

