TEAR

Aluminum Shade with White Inner Diffuser

TR12, TR14, TR16, TR18

PROJECT:

SPEC-00041

UPDATED 02/16/2021

NOTE:

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- · Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted semi gloss white
- · Consult factory for custom finish options


LISTING

UL listed to US and Canadian standards for wet locations





TR18LED1835ABL-2 / 2HS36SS



TEAR ORDER MATRIX (EXAMPLE: TR18LED1835ABL-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Mounting Type
TR12 (12") TR14 (14") TR16 (16") TR18 (18")	M (Medium Base, 100W max.) LED1227 ¹² (12W LED, 2700K, 90 CRI, 844lm) LED1230 ¹² (12W LED, 3000K, 90 CRI, 861lm) LED1240 ¹² (12W LED, 3500K, 90 CRI, 872lm) LED1240 ¹² (12W LED, 4000K, 90 CRI, 889lm) LED1830 ¹² (18W LED, 2700K, 90 CRI, 1265lm) LED1835 ¹² (18W LED, 3500K, 90 CRI, 1288lm) LED1840 ¹² (18W LED, 3500K, 90 CRI, 1311lm) LED1840 ¹² (18W LED, 4000K, 90 CRI, 1334lm)	ABL Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (No Coating) -C (Coating)	-2 (½" IP) -3 (¾" IP) -B (Black Cord Pendant) -W (White Cord Pendant) -F (Flush Mount)

- 1. Lamps must be specified, and are not included in shade cost
- 2. Lumen are raw LED value

STANDARD FINISHES

ואוכ	ND/IIII	DINNSHES									
	ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)		WT	(Gloss White)
	BB	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
	BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
	BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPE	CIALT	Y FINISHES
	DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)



T	F	Δ	R
		$\overline{}$	

Aluminum Shade with White Inner Diffuser

TR12, TR14, TR16, TR18

 PROJECT:

NOTE:

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23SS)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP) 3 (¾" IP)	SL23 (Small Loop- 23") SL30 (Small Loop- 30") LL23 (Large Loop - 23") LL30 (Large Loop - 30") LC18 (Curve Arm - 18") LC24 (Curve Arm - 18") LM24 (Miter Arm - 24") LM30 (Miter Arm - 24") LM30 (Miter Arm - 30") SA18 (Sign Arm - 23") LSA23 (Sign Arm - 23") LSA23 (Large Loop Sign Arm - 30") A6 (Straight Arm - 6") A12 (Straight Arm - 12") A18 (Straight Arm - 12") A19 (Straight Arm - 12") A19 (Straight Arm - 12") A10 (Straight Arm - 12") A110 (Straight Arm - 12") A1110 (Straight Arm - 12") A112 (Straight Arm - 12") A123 (Straight Arm - 12") A134 (Modern Arm - 24") A355 (Modern Arm - 24") A366 (Modern Arm - 24") A376 (Modern Arm - 24") A377 (Modern Arm - 24") A378 (Modern Arm - 30")	ABL Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TTL (Tahittian Teal) WT (Gloss White) YEL (Yellow)	(blank) (No coating) -C (Coating)	(blank) (120V) -27 (277V)

STANDARD FINISHES

GA (Galvanized)

_						
		ABL	(Aegean Blue)		RD	(Red)
		BB	(Burnished Bronze)		SGR	(Sage Green)
		BK	(Gloss Black)	\bigcirc	SGW	(Semi Gloss White)
		BLU	(Blue)		SND	(Sand)
		DVG	(Dove Gray)		SS	(Satin Silver)
		FLG	(Flannel Gray)		TBZ	(Textured Bronze)
		LG	(Lime Green)		TGP	(Textured Graphite)
		MB	(Matte Black)		TNG	(Tangerine)
		MBL	(Midnight Blue)		TTL	(Tahitian Teal)
		PNA	(Painted Natural Aluminum)	\bigcirc	WT	(Gloss White)
		PNC	(Painted Natural Copper)		YEL	(Yellow)
	SPE	CIAL	TY FINISHES			


Note: All arm mounts include canopy


120V CANOPY


⊣ 2"⊢




















MITER ARM



23"


SA23





30"

A30




TEAR Aluminum Shade with White Inner Diffuser TR12, TR14, TR16, TR18 PROJECT: SPEC-00041 UPDATED 02/16/2021 NOTE:

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLSS)

Pipe Size	Knuckle	Finish	Coastal Coating					
2 (½" IP) 3 (¾" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) VT (Gloss White) YEL (Yellow)	(blank) (No Coating) -C (Coating)					

KNUCKLE ACCESSORY

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



STANDARD FINISHES

ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)		WT	(Gloss White)
ВВ	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPEC	IALT	Y FINISHES
DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)

TEAR

Aluminum Shade with White Inner Diffuser

TR12, TR14, TR16, TR18

SPEC-00041 UPDATED 02/16/2021

PROJECT:

NOTE:


POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1SS)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½* IP)	P1 (Single Post Mount) P2 (Double Post Mount) W1 (Traditional Wall Mount)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (120V) -27 ³ (277V)

3. Post mount only

SINGLE POST MOUNT P1 P2 23" 23" 23" 23" 29½"


TRADITIONAL WALL MOUNT



POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TBZ)

Post Type	Finish
PM4946 (Cast Aluminum Post) P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post) P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post) P8684-96 (96" Straight Aluminum Post) P8684-120 (120" Straight Aluminum Post) PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8638)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)

STANDARI	D FINISHES						
ABL (A	Aegean Blue)	M	BL	(Midnight Blue)		TBZ	(Textured Bronze)
BB (E	Burnished Bronze)	PI	NΑ	(Painted Natural Aluminum)		TGP	(Textured Graphite)
BK (0	Gloss Black)	PI	NC	(Painted Natural Copper)		TNG	(Tangerine)
BLU (E	Blue)	RI	D	(Red)		TTL	(Tahitian Teal)
DVG (E	Dove Gray)	S	GR	(Sage Green)		WT	(Gloss White)
FLG (F	Flannel Gray)) so	GW	(Semi Gloss White)		YEL	(Yellow)
LG (L	Lime Green)	SI	ND	(Sand)	SPE	CIAL	TY FINISHES
MB (N	Matte Black)	S	3	(Satin Silver)		GA	(Galvanized)





TEAR

Aluminum Shade with White Inner Diffuser

TR12, TR14, TR16, TR18

SPEC-00041 UPDATED 02/16/2021

PROJECT:

NOTE:

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS36SS)

Pipe Size	Stem Length	Finish	Coastal Coating				
2 (½" P)	HS12 (12") HS18 (18") HS24 (24") HS36 (36") HS48 (48") HS (Custom length from 2" up to 60")	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Aluminum) PNC (Sage Green) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TTL (Tangerine) TTL (Tangerine) TTL (Gloss White) YEL (Yellow)	(blank) (No Coating) -C (Coating)				

Stem mounts can be used for sloped ceiling up to 30°






Note: All stems include 23/8" canopy and ball swivels

PENDANT CANOPY




CEILING FLUSH MOUNT CANOPY





Note: Ceiling flush mount canopy includes 2" stem $\,$



STANDARD FINISHES

JIANE		TIMISHES									
	ABL	(Aegean Blue)	FLG	(Flannel Gray)	PNC	(Painted Natural Copper)	SS	(Satin Silver)		WT	(Gloss White)
• i	ВВ	(Burnished Bronze)	LG	(Lime Green)	RD	(Red)	TBZ	(Textured Bronze)		YEL	(Yellow)
• I	BK	(Gloss Black)	MB	(Matte Black)	SGR	(Sage Green)	TGP	(Textured Graphite)			
• i	BLU	(Blue)	MBL	(Midnight Blue)	SGW	(Semi Gloss White)	TNG	(Tangerine)	SPE	CIALT	Y FINISHES
1	DVG	(Dove Gray)	PNA	(Painted Natural Aluminum)	SND	(Sand)	TTL	(Tahitian Teal)		GA	(Galvanized)